

L Number	Hits	Search Text	DB	Time stamp
13	138	(cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and ((armature or plate) with actuat\$3) and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:15
14	11884	123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:10
15	8	((cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and ((armature or plate) with actuat\$3) and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)) and (123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:10
17	13	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:16
16	77	(cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:21
18	125	(cam or cam\$1shaft) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:54
19	30	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:22
20	17	((123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3))) not ((123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:22
21	235	(cam or cam\$1shaft) near2 holder and (damp\$3 or cushion\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:55
22	8	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) near2 holder and (damp\$3 or cushion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:55

-	1	jp-63295812-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 13:57
-	19	sugimoto-mitsuru.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 13:59
-	48	umemoto-atsushi.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:01
-	5	watanabe-norihiko.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:04
-	0	watanabe-norihiko-\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:05
-	731	123/90.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:05
-	4518	123/90.15,90.16,90.27,90.31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:06
-	785	123/193.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:06
-	1824	123/90.39,90.4,90.44.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:07
-	4473	251/129.01,129.15,129.16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:07
-	144	123/90.11.ccls. and 123/90.15,90.16,90.27,90.31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:08
-	0	(123/90.11.ccls. and 123/90.15,90.16,90.27,90.31.ccls.) and 123/193.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:08
-	2	123/90.11.ccls. and 123/193.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:09
-	79	123/90.15,90.16,90.27,90.31.ccls. and 123/193.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:15
-	28	123/193.5.ccls. and 123/90.39,90.4,90.44.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:17
-	0	123/193.5.ccls. and 251/129.01,129.15,129.16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:17
-	2	123/193.5.ccls. and 123/198F.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:21

-	11540	123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:10
-	2	camshaft adj holder with damp\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:23
-	78	camshaft adj holder	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:23
-	29	(123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and (camshaft adj holder)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:33
-	108	camshaft with rocker and damp\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:44
-	25	(123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and (camshaft with rocker and damp\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:55
-	19	camshaft with rocker and damp\$3 and (electro\$magnetic or electro\$lmechanical or electro\$lhydraulic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:55
-	239	camshaft with rocker and (electro\$magnetic or electro\$lmechanical or electro\$lhydraulic)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 15:27
-	139	(123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and (camshaft with rocker and (electro\$magnetic or electro\$lmechanical or electro\$lhydraulic))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 14:55
-	498	(electro\$magnetic or electro\$lmechanical or electro\$lhydraulic) and (damp\$3 or cushion\$3 or (valve adj seat\$3)) and cam\$shaft	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 17:36
-	46	((electro\$magnetic or electro\$lmechanical or electro\$lhydraulic) and (damp\$3 or cushion\$3 or (valve adj seat\$3)) and cam\$shaft) and valve with (held or hold\$3) near2 open\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 15:33
-	23	(123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and (((electro\$magnetic or electro\$lmechanical or electro\$lhydraulic) and (damp\$3 or cushion\$3 or (valve adj seat\$3)) and cam\$shaft) and valve with (held or hold\$3) near2 open\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 15:48

-	23	((electro\$magnetic or electro\$mechanical or electro\$hydraulic) and (damp\$3 or cushion\$3 or (valve adj seat\$3)) and cam\$shaft) and valve with (held or hold\$3) near2 open\$2) not ((123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((electro\$magnetic or electro\$mechanical or electro\$hydraulic) and (damp\$3 or cushion\$3 or (valve adj seat\$3)) and cam\$shaft) and valve with (held or hold\$3) near2 open\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 15:48
-	103	(electro\$magnetic or electro\$mechanical or electro\$hydraulic) and (valve with ((held or hold\$3) near2 open\$2)) and cam\$shaft	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:37
-	32	(123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((electro\$magnetic or electro\$mechanical or electro\$hydraulic) and (valve with ((held or hold\$3) near2 open\$2)) and cam\$shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:04
-	18	"4158348"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:11
-	22	"4510900"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:14
-	3	"6095115"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:17
-	3	"6405707"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:18
-	2	"20020108600"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:19
-	205	((compression near2 brake) or (engine near2 retarder)) and (electro\$magnetic\$4 or electro\$hydraulic\$4 or electro\$mechanical\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:21
-	25	(123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((compression near2 brake) or (engine near2 retarder)) and (electro\$magnetic\$4 or electro\$hydraulic\$4 or electro\$mechanical\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:21
-	5038	123/90.11.ccls. or 251/129.01,129.15,129.16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:38
-	154	123/90.15,90.16,90.27,90.31.ccls. and (123/90.11.ccls. or 251/129.01,129.15,129.16.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:38

-	49	(123/90.15,90.16,90.27,90.31.ccls. and (123/90.11.ccls. or 251/129.01,129.15,129.16.ccls.)) and electro\$lmagnetic\$4 near2 actuat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 16:39
-	27	("4515343" "4533890" "4544986" "4614170" "4762095" "4777915" "4867111" "5222714" "5546268" "5592905" "5791305" "5917692" "6003481" "6009841" "6047672" "6066999" "6073651" "6085704" "6202609" "6257182" "6262498" "6269784" "6276317" "6390036" "6427650" "6467441" "6516758").PN.	USPAT	2004/03/22 16:54
-	7	6085704.URPN.	USPAT	2004/03/22 17:06
-	7	("4762095" "4867111" "4942854" "5117213" "5161494" "5636601" "5772179").PN.	USPAT	2004/03/22 17:08
-	7	4870930.URPN.	USPAT	2004/03/22 17:21
-	4	("3525317" "3884199" "4697558" "4762095").PN.	USPAT	2004/03/22 17:23
-	4	(US-4870930-\$ or US-6681731-\$ or US-6085704-\$).did. or (US-20030164163-\$).did.	USPAT; US-PGPUB	2004/03/22 17:31
-	1	((US-4870930-\$ or US-6681731-\$ or US-6085704-\$).did. or (US-20030164163-\$).did.) and holder	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 17:31
-	0	((US-4870930-\$ or US-6681731-\$ or US-6085704-\$).did. or (US-20030164163-\$).did.) and camshaft with support\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 17:32
-	1	((US-4870930-\$ or US-6681731-\$ or US-6085704-\$).did. or (US-20030164163-\$).did.) and cam with support\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/22 17:32
-	3	((US-4870930-\$ or US-6681731-\$ or US-6085704-\$).did. or (US-20030164163-\$).did.) and (damp\$3 or cushion\$3 or (valve adj seat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:00